6. The depurating and the maintaining

- 1) The power should be turned out in depurating and the maintaining. Which can keep off the accidents
- 2) It is allowable to clean the surface of the oven with a piece of soft cloth without erosive cleanser in it after each using
- 3) Only a piece of dry cloth can be used to clean the control on-off. It is not allowable to clean the even body under the water shower, or the functions of the oven will be destroyed

7. Enclosures

- ①. An introduction of the products
- ②. A the basin for object filling

ELECTRIC TOASTER INTRODUTION



MODEL: ETS-6


ETS-4

1.Traits

This product was characteristic of its reasonable compact conformation, attractive designs, quickly thermal collection. The bread roasted by it is scent and mellow and tests palatable and cheerful. It fits betaking in both hotel restaurant and the household. It is stainless steel body round side design, time setting. On mod. ref .ETS-4.2 or 4slots operation can be chosen. Mod.ref. ETS-6, 2,4,or 6 slots operation can be chosen.

1. The structure(as the figure)





Mod: ETS-6 mod: ETS-4

- 1 The access of be treated bread.
- ② The alternative on –off in work.
- ③ The indicator light of power.
- 4 The temperature control with timing function.
- ⑤ The oven body.
- **6** The basin for object filling.
- The on-off for the bread's taking out.


3. The introduction for using

Inserting on the power, putting the bread into the access of be treated bread, dial the temperature control with timing function to setting the time of baking .the indicator light of power is on here. Then the Toaster oven begins to heat up, what's in it according to the time limit set. When hear the ring of "ding", the Toaster oven would have finished the heating up time of the bread. As long as pressing the on-off for the bread's taking out, the bread slices will stretch up. Then press the alternative on-off in work, you can adjust the oven's conditions of working, such as the mumber of the bread in each baking.

2. The parameters of the facilities.

Туре	ETS-4	ETS-6
Name	The Toaster oven of	The Toaster oven of
	four pieces	six pieces
Rated load(V)	220-240V/50-60Hz	220-240V/50-60Hz
Rated power	1.8(1.1/1.8)KW	1.8(1.1/1.8/2.5)KW
Time of work	0-5 minutes	0-5 minutes
Choice in work	Four preces	Six preces
Dimension	$330\times285\times250$ mm	$465 \times 285 \times 250$ mm

3. Principles of the facilities



K1—The on-off timing HL1—The indicator light of power

K2—The on-off of alternative R1~R5—The electric thermal plate